

3b. Fractions

Use the L.C.M. of the denominators to correctly put $<$,
 $>$, or $=$ between the following pairs of fractions.

a. $\frac{7}{10}$ $\frac{4}{5}$

L.C.M. = _____

— —

$\frac{7}{10}$ — $\frac{4}{5}$

b. $\frac{7}{9}$ $\frac{5}{6}$

L.C.M. = _____

— —

$\frac{7}{9}$ — $\frac{5}{6}$

c. $\frac{3}{4}$ $\frac{7}{12}$

L.C.M. = _____

— —

$\frac{3}{4}$ — $\frac{7}{10}$

d. $\frac{3}{5}$ $\frac{1}{2}$

L.C.M. = _____

— —

$\frac{3}{5}$ — $\frac{1}{2}$

e. $\frac{1}{4}$ $\frac{2}{5}$

L.C.M. = _____

— —

$\frac{1}{4}$ — $\frac{2}{5}$

f. $\frac{6}{8}$ $\frac{9}{12}$

L.C.M. = _____

— —

$\frac{6}{8}$ — $\frac{9}{12}$

g. $\frac{7}{10}$ $\frac{4}{6}$

L.C.M. = _____

— —

$\frac{7}{10}$ — $\frac{4}{6}$

h. $\frac{4}{7}$ $\frac{5}{8}$

L.C.M. = _____

— —

$\frac{4}{7}$ — $\frac{5}{8}$

