

Arranging the numbers into the right orders:

$$1\frac{1}{3} \quad \left(-2\frac{1}{3}\right) \quad \frac{3}{4} \quad \left(-\frac{2}{3}\right) \quad \left(-\frac{1}{2}\right) \quad \frac{3}{2}$$



Arranging the numbers into the right orders:

$$0.051 \quad \left(-\frac{2}{3}\right) \quad 0.049 \quad -\frac{1}{2} \quad \frac{1}{2} \quad -\frac{3}{4}$$



**Calculating (write 1 for plus one or -1 for minus one)**

$$A = (-3)(-4) - 5(-6) + (-7).8 =$$

$$B = - (-3).(-2)^2 + (-4).(-3)^3 - 5.(4)^3 =$$

$$C = 0.2.(-0.1)^2 + (-0.3).(-0.2)^3 =$$

$$D = - 100.(-0.3)^2 - (-1,000,000).(0.02)^3 =$$

**Calculating (the results are written in simplest fractions)**

$$E = \frac{\left(-1\frac{1}{2}\right) \cdot \left(-\frac{1}{3}\right) - \left(-6\frac{1}{4}\right) \cdot \left(-\frac{2}{5}\right)^2}{\left(-1\frac{1}{3}\right) \cdot \left(\frac{1}{2}\right)^2 + 2\frac{1}{4} \cdot \left(-\frac{2}{3}\right)^2} = \left( \quad \text{---} \quad \right)$$

$$F = \frac{\left(-2\frac{2}{3}\right) \cdot \left(-\frac{1}{2}\right)^3 - \left(-3\frac{1}{8}\right) \cdot \left(\frac{2}{5}\right)^2}{2\frac{1}{4} \cdot \left(\frac{2}{3}\right)^3 + \left(-5\frac{1}{3}\right) \cdot \left(-\frac{1}{4}\right)^2} = \left( \quad \text{---} \quad \right)$$

Send to: [antiaging.vn@gmail.com](mailto:antiaging.vn@gmail.com)