

Human reproduction

* Obligatorio

* Este formulario registrará su nombre, escriba su nombre.

1. The menstrual cycle usually lasts days. *
(1 Punto)

- 40
- 14
- 5
- 28

2. The semen... *
(1 Punto)

- is created in the testicles and travel to the urethra when a man ejaculates.
- is created in the seminal vesicles every 28 days.
- are the male sexual cells that have a tail wich helps them to reach and move along the female fallopian tubes.
- helps the sperm cells to move more easily and it also provides them with nutrients.

3. What is the function of the placenta? *

(1 Punto)

- Protects the foetus from impacts and other accidents.
- Provides the foetus with the genetic charge that will help it develop.
- Provides the foetus with oxygen and other nutrients and absorbs carbon dioxide and waste.
- Pushes the foetus from the uterus to the cervix when labour starts.

4. What is fertilization? *

(1 Punto)

- It is when a sperm joins an ovum.
- It is when an ovum starts to divide.
- It is when the zygote becomes an embryo.
- It is when the foetus connects with the mother by the umbilical cord.

5. The is a muscular tube that goes from the uterus to the outside of the body. *

(1 Punto)

- ovaries
- vulva
- fallopian tubes
- vagina

6. The are two tubes that carry the sperms cells to the seminal vesicles and the prostate. *

(1 Punto)

- fallopian tubes
- urethra
- vasa deferentia
- scrotum

7. What are the secondary sexual characteristics? *

(1 Punto)

- They are other physical differences between men and women that start to appear during puberty.
- They are the differences between male and female reproductive organs.
- They are the period of time in which the body changes.
- They are the hormones that cause teenagers to change their mood suddenly.

8. After two weeks, the becomes *

(1 Punto)

- embryo / a foetus
- foetus / a baby
- zygote / an embryo
- embryo / a zygote

9. Labour is... *
(1 Punto)

- when the baby is ready to be born and the muscles of the uterus start to contract.
- when the doctors cut and tie the umbilical cord.
- when the placenta separates from the wall of the uterus and leaves through the birth canal.
- when the embryo's organs have formed and it floats inside a sac of amniotic fluid.

10. The is a narrow opening that connects the uterus with the vagina. *
(1 Punto)

- ovaries
- cervix
- prostate
- vas deferens

Este contenido no está creado ni respaldado por Microsoft. Los datos que envíe se enviarán al propietario del formulario.

 Microsoft Forms