




OPERACIONS COMBINADES

$$\frac{3}{5} \times \left(\frac{3}{4} + \frac{4}{6} \right) =$$


$$\frac{\square}{\square} \times \frac{\square + \square}{\square}$$

Fes la suma pel mètode
del producte creuat


$$\frac{\square}{\square} \times \frac{\square}{\square}$$


$$\frac{\square}{\square}$$

$$\left(\frac{5}{6} - \frac{1}{3}\right) \times \left(\frac{3}{4} + \frac{4}{6}\right) =$$

Diagram illustrating the steps to solve the problem using the Least Common Multiple (mcm) method:

For the first fraction $\frac{5}{6} - \frac{1}{3}$, the denominator 6 is the mcm. The second fraction $\frac{1}{3}$ is converted to $\frac{2}{6}$. The result is $\frac{3}{6}$.

For the second fraction $\frac{3}{4} + \frac{4}{6}$, the denominator 6 is the mcm. The first fraction $\frac{3}{4}$ is converted to $\frac{4.5}{6}$. The result is $\frac{7.5}{6}$.

The final step is to multiply the two results: $\frac{3}{6} \times \frac{7.5}{6} = \frac{22.5}{36}$.

Fes la suma i la resta pel mètode del mcm

$$\left(\frac{3}{4} + \frac{1}{2} \times \frac{2}{3}\right) : \frac{1}{3} =$$

$$\frac{\boxed{}}{\boxed{}} + \frac{\boxed{}}{\boxed{}} : \frac{\boxed{}}{\boxed{}}$$

$$\frac{\boxed{}}{\boxed{}}$$

$$\frac{\boxed{}}{\boxed{}}$$

Fes la suma
i la resta
pel mètode
del mcm

$$\frac{\boxed{}}{\boxed{}} + \frac{\boxed{}}{\boxed{}}$$

$$\frac{\boxed{}}{\boxed{}} = \frac{\boxed{}}{\boxed{}}$$

calcula
la fracció
irreductible

mcm →