


## 1.5 DNA AND RNA MOLECULES

Learning outcome

At the end of the lessons, students should be able to:


- State the structure of nucleotide as the basic composition of nucleic acids (deoxyribonucleic acid, DNA and ribonucleic acid, RNA).
- Differentiate between RNA and DNA nucleotide.
- Describe the structure of DNA based on the Watson and Crick Model.




a) State the structure of nucleotide as the basic composition of nucleic acids (deoxyribonucleic acid, DNA and ribonucleic acid, RNA).

- There are two types of nucleic acid: \_\_\_\_\_ (DNA) and \_\_\_\_\_ (RNA).

### Basic Nucleotide Structure




General Structure





Structure of Adenine

- Monomer for nucleic acid is \_\_\_\_\_.
- It is made of three components: \_\_\_\_\_ sugar, \_\_\_\_\_ base and \_\_\_\_\_ group.
- In a nucleotide, \_\_\_\_\_ is attached to the carbon number one of pentose sugar while \_\_\_\_\_ is joined to the carbon number five of pentose sugar.
- Pentose sugar of DNA is known as \_\_\_\_\_ sugar while for RNA known as \_\_\_\_\_ sugar.
- There are two types of nitrogenous base which are \_\_\_\_\_ and \_\_\_\_\_.
- Purine consist of Adenine and \_\_\_\_\_ base
- Pyrimidine consist of Cytosine, \_\_\_\_\_ and Uracil.






**Exercise 1.5 (a):** Identify each component of the nucleotide below.



**Exercise 1.5 (b):** Name and circle the difference between the two different types of pentose sugars shown in figure below.





Types of nitrogenous base:

_____ ???	_____ ???
<p>• _____ rings</p>  <p>Adenine</p>  <p>Guanine</p>	<p>• _____ ring</p>  <p>Thymine</p>  <p>Cytosine</p>  <p>Uracil</p>


b) Differentiate between RNA and DNA nucleotide.

Exercise 1.5 (c): List all the differences between DNA dan RNA.

DNA	RNA



c) Describe the structure of DNA based on the Watson and Crick Model.

Structure	Characteristics (Features)
 <p>5' 3'</p> <p>Hydrogen bonds</p> <p>Base pair</p> <p>3' 5'</p>	<ul style="list-style-type: none"> <li>• Consist of _____ polynucleotide strands</li> <li>• The 2 strands are _____ and coiled in a spiral forming _____ structure.</li> <li>• The pentose sugar in its nucleotide is _____ sugar.</li> <li>• The nucleotides in each strands are joined by _____ bond (between its phosphate group of one nucleotide and carbon number five of pentose sugar of another nucleotide), _____ forming _____ backbone.</li> <li>• The two strands are anti-parallel and must be complementary to each other.</li> <li>• Involve pairing of four organic bases: _____, Guanine (G), Thymine (T), _____.</li> <li>• The organic bases are paired and linked by _____ bond.</li> <li>• Adenine must pair with _____ with _____ hydrogen bonds.</li> <li>• Guanine must pair with _____ with _____ hydrogen bonds.</li> <li>• Chargaff's rules (base pairing rules):             <ol style="list-style-type: none"> <li>i. Pairing of bases must be between purine and _____</li> <li>ii. The ratio of (G+C) to (A+T) is different for each species.</li> </ol> </li> </ul>

#### Functions of nucleic acids:

1. Storage of genetic information (DNA)
2. Transmit genetic information from generation to generation (DNA)
3. Self-replication (DNA)
4. Transmit genetic information for cell use (RNA)