

חישוב איבר בסדרה על פי נוסחת האיבר הכללי.

$$a_n = a_1 + d(n - 1)$$

$$\begin{array}{l} a_1 = 3 \quad d = 2 \\ a_5 = \quad + \quad (\quad - \quad) \\ a_5 = \end{array} \quad .1$$

$$\begin{array}{l} a_1 = 2 \quad d = 4 \\ a_7 = \quad + \quad (\quad - \quad) \\ a_7 = \end{array} \quad .2$$

$$\begin{array}{l} a_{10} = \quad + \quad (\quad - \quad) \\ a_{10} = \end{array}$$

$$\begin{array}{l} a_1 = 9 \quad d = 5 \\ a_6 = \quad + \quad (\quad - \quad) \\ a_6 = \end{array} \quad .3$$

$$\begin{array}{l} a_{11} = \quad + \quad (\quad - \quad) \\ a_{11} = \end{array}$$

$$\begin{array}{l} a_1 = 1 \quad d = 5 \\ a_8 = \quad + \quad (\quad - \quad) \\ a_8 = \end{array} \quad .4$$

$$\begin{array}{l} a_{12} = \quad + \quad (\quad - \quad) \\ a_{12} = \end{array}$$

$$\begin{array}{l} a_1 = 38 \quad d = -6 \\ a_7 = \quad + \quad (\quad - \quad) \\ a_7 = \end{array} \quad .5$$

$$\begin{array}{l} a_{15} = \quad + \quad (\quad - \quad) \\ a_{15} = \end{array}$$

$$\begin{array}{l} a_1 = 100 \quad d = -3 \\ a_9 = \quad + \quad (\quad - \quad) \\ a_9 = \end{array} \quad .6$$

$$a_{20} = \quad + \quad (\quad - \quad)$$

$$a_{20} =$$