Class:	Date:	ID: A
	Class:	Class: Date:

Plant Systems Common Assessment

Multiple Choice

Identify the choice that best completes the statement or answers the question.

- 1. If the xylem in a young tree is damaged, which process is first affected?
 - a. absorbing water from the soil
- c. performing photosynthesis
- b. transporting water to the leaves
- d. transporting sugar to the roots
- Fertilizers can enable famers to grow the same crop in a field for several years in a row. Farmers
 who use less fertilizer often rotate their crops by planting the crop one year and legumes, such as
 beans and clover, the following year.

Fertilizer use and crop rotation with legumes both increase the availability of which of the following nutrients in the soil?

a. oxygen

c. protein

b. calcium


- d. nitrogen
- 3. Vascular plants contain a group of cells that carry water and minerals throughout the plant. These cells function together to form which of the following?
 - a. An organ

c. A tissue

b. An organism

d. A system

4.



Which area of the leaf is most responsible for protecting the leaf from the drying effects of the air?

a. The cuticle

c. The vein

b. The mesophyll

d. The epidermis

			ID: A
The stems, leaves, and rep system?	roductive organs of a	plant can all be considered a p	part of which plant
a. vascular system	c.	endocrine system	
b. root system	d.		
What structure in the leaf	controls the opening	and closing of the stoma?	
a. guard cell	c.	spongy mesophyll	
b. cuticle	d.		
This sugar is most likely to	ransported through th	e	a seed containing fruit.
b. phloem	d.	epidermis	
	Producers Nitrate (NO ₃ -)	Consumers Ammonia (NH ₃)	
	Bacteria	Bacteria	
probably happen if additio a. Nitrite levels would do b. Nitrate levels would in	nal fish were added tecrease.		n. What would
	system? a. vascular system b. root system What structure in the leaf a. guard cell b. cuticle Large amounts of sugar ar This sugar is most likely to a. stomata b. phloem The diagram above shows probably happen if additio a. Nitrite levels would do b. Nitrate levels would in	system? a. vascular system b. root system c. d. What structure in the leaf controls the opening a. guard cell c. d. Large amounts of sugar are delivered to the ovary this sugar is most likely transported through the a. stomata c. b. phloem C. Droducers Nitrate (NO3-) Bacteria The diagram above shows a simplified nitrogen probably happen if additional fish were added to a. Nitrite levels would decrease. b. Nitrate levels would increase.	a. vascular system b. root system c. endocrine system d. shoot system What structure in the leaf controls the opening and closing of the stoma? a. guard cell c. spongy mesophyll d. epidermis Large amounts of sugar are delivered to the ovaries of a plant as it ripens into This sugar is most likely transported through the a. stomata c. xylem d. epidermis Producers Consumers Nitrate (NO ₃ -) The diagram above shows a simplified nitrogen cycle in a freshwater aquarium probably happen if additional fish were added to the aquarium? a. Nitrite levels would decrease. b. Nitrate levels would increase.

c. nuclear energy

d. mechanical energy


9. The process of photosynthesis ultimately converts light energy into —

a. electrical energy

b. chemical energy


Name:	ID: A

The diagram shown represents a growth response in a plant.



This response is best described as

- a. negative phototropism
- b. negative thigmotropism
- c. positive thigmotropism
- d. positive phototropism
- A primary function of a plant root is to
 - a. digest organic materials
 - b. produce secondary growth
- c. absorb water and minerals
- d. release carbon dioxide
- 12. Energy is absorbed in the leaves of plants. Excess energy is stored within the plant for later use. Which of the following accurately describes this process?
 - a. Food energy is stored inside the vascular tissue for later use.
 - b. Extra food energy is stored inside the wax molecules of thick cuticles.
 - Excess energy produced by the leaves is stored in the root system.
 - d. Energy that is placed in fruit is reabsorbed through the stomata.
- The accompanying diagram shows a growth response in a plant.




This growth response results from the

- a. conversion of mechanical energy into radiant energy
- b. action of plant hormones
- c. action of contractile fibers
- d. conversion of light energy into heat energy

Name:	ID: A

____ 21.
Use the diagram below to answer the following question.




Setup 1 Setup 2

The diagram shows an experiment designed by a biology student to explore a concept involving plants. This experiment would best be used to study which of these concepts?

- a. Photosynthesis
- b. Thignmonasty

- c. Geotropism
- d. Turgor Pressure
- 22. Nitrogen containing compounds are vital for a plants growth and health. Soluble nitrogen compounds are absorbed from the soil and distributed throughout the plant. Which of the following descriptions accurately describes this process?
 - The root system distributes the nitrogen into the air so that it can be absorbed by the shoot system.
 - The nitrogen is absorbed by flowers and cones and sent through xylem tissue to the root system.
 - Nitrogen is absorbed by the root system and distributed through the shoot system to all parts of the plant.
 - Nitrogen is absorbed through the leaves and distributed downt the shoot system to the roots.

The diagram below shows the gas exchange among different organisms.



Which carbon compound is represented by the X?

- a. Glucose, C₆H₁₂O₆
- c. Carbon dioxide, CO₂
- b. Carbon monoxide, CO
- d. Carbonic acid, H₂CO₃
- 24. Scientists have been able to produce mutations in plants by irradiating their seeds with gamma rays. The result of one of the mutations was a plant that could not produce flowers. Because of this lack of flowers, the plant would not be able to
 - a. reproduce sexually
- c. grow more than a few inches tall

b. transport water

- d. carry out photosynthesis
- 25. Plant species of the genus Mimosa have a rare ability to rapidly move their leaves when animals come in contact with them. This ability serves as a defense mechanism that discourages large herbivores from eating their leaves and can dislodge small herbivores crawling on the plant causing them to fall to the ground. The rapid response and movement by these plants is referred as a
 - a. phototropic response
- c. feedback mechanism
- b. photosynthetic behavior
- d. thigmonastic response