

REGLA DE TRES

PORCENTAJES

Es una forma de resolver problemas de proporcionalidad entre tres valores conocidos y una incógnita

Lee con mucha atención los siguientes planteamientos.

1. De una lista de 200 palabras se dictaron 80 ¿Qué porcentaje del total de palabras se dictó?

2. Tomás compró un celular de 2500. Como tenía un descuento pagó \$ 1875 ¿Qué porcentaje del costo total pagó Tomás?

3. Luisa compró unas zapatillas de \$300, sólo pagó \$120.
¿Qué porcentaje del total se le descontó?

4. Ana compró una playera de \$145 a \$123.25 ¿Qué porcentaje del total se le descontó?

5. De un grupo de 30 alumnos, 24 obtuvieron calificación aprobatoria, el resto reprobó. ¿Qué porcentaje del total del grupo aprobó?

The image shows a worksheet template for solving a percentage problem. On the left, there is a fraction model with four empty boxes arranged in a 2x2 grid. Two lines cross in the center, connecting the top-left box to the bottom-right box and the top-right box to the bottom-left box. To the right of this is a decimal division model. It consists of three empty boxes above a horizontal line, followed by a decimal point and two more empty boxes above the line. Below the line are two empty boxes. To the right of this is an equals sign followed by one more empty box.