

QUIZ (5%)



HARMONIC SERIES



Question 1



What mathematical function appears repeatedly in the series?

$$f(x) = c_0 + c_1 \sin(x + \alpha_1) + c_2 \sin(2x + \alpha_2) + c_3 \sin(3x + \alpha_3) + \dots$$

Cosine

Sine

Tangent

Logarithm

QUIZ (5%)



HARMONIC SERIES



Question 2



Given a standard form Fourier series representation by harmonic series

$$f(x) = c_0 + c_1 \sin(x + \alpha_1) + c_2 \sin(2x + \alpha_2) + c_3 \sin(3x + \alpha_3) + \dots$$

Choose the correct answer.

$$c_0 = \frac{b_0}{2}$$

$$a_0 = \frac{1}{12} \sum_{r=1}^{12} f(x_r)$$

$$c_n = \sqrt{a_n + b_n}$$

$$a_0 = \frac{1}{6} \sum_{r=1}^{12} f(x_r)$$

QUIZ (5%)



HARMONIC SERIES

Question 3

What is the period of the function $f(x)$?

$$\pi$$

$$\frac{\pi}{2}$$

$$2\pi$$

$$4\pi$$

QUIZ (5%)



HARMONIC SERIES

Question 4

In which quadrant is the angle

$$A = \alpha = \tan^{-1} \frac{a_1}{b_1}$$

when both $a_1 > 0$ and $b_1 > 0$?

1st Quadrant

3rd Quadrant

2nd Quadrant

4th Quadrant

QUIZ (5%)



HARMONIC SERIES

Question 5

What is used to help determine the correct angle A in each case?

Radius

Slope

Reference angle

Frequency