Electrostatics


End of Chapter Exercises:

1. What are the two types of charge called?

Fill in the blanks: The electrostatic force between like charges is	while the
electrostatic force between opposite charges is	

- 4. I have two positively charged metal balls 2 m apart.
- a) Is the electrostatic force attractive or repulsive?
- b) If I now move the balls so that they are 1 m apart, what happens to the strength of the electrostatic force between them?

 INCREASES / DECREASES / REMAINS THE SAME
- I have 2 charged spheres each hanging from string as shown in the picture below.




Choose the correct answer from the options below: The spheres will

- a. swing towards each other due to the attractive electrostatic force between them
- b. swing away from each other due the the attractive electrostatic force between them
- c. swing towards each other due to the repulsive electrostatic force between them
- d. swing away from each other due to the repulsive electrostatic force between them



8. An uncharged hollow metal sphere is placed on an insulating stand. A positively charged rod is brought up to touch the hollow metal sphere at P as shown in the diagram below. It is then moved away from the sphere.



Where is the excess charged distributed on the sphere after the rod has been removed?

- a) It is still located at point P where the rod touched the sphere
- b) It is evenly distributed over the outer surface of the hollow sphere
- c) It is evenly distributed over the outer and inner surfaces of the hollow sphere
- d) No charge remains on the hollow sphere
- 9. What is the process called where molecules in an uncharged object are caused to align in a particular direction due to an external charge?
- 12. An object has an excess charge of -8 x 10⁻¹⁹ C. How many excess electrons does it have?
- 13. An object has an excess of 235 electrons. What is the charge on the object?
- 14. An object has an excess of 235 protons. What is the charge on the object?
- 15. Two identical, metal spheres have different charges. Sphere 1 has a charge of $-4.8 \times 10^{-18} \, \mathrm{C}$. Sphere 2 has 60 excess electrons. If the two spheres are brought into contact and then separated, what charge will each have? How many electrons does this correspond to?
- 16. Two identical, metal spheres have different charges. Sphere 1 has a charge of $-96 \times 10^{-18} \, \mathrm{C}$. Sphere 2 has 60 excess electrons. If the two spheres are brought into contact and then separated, what charge will each have?



17. Two identical, metal spheres have different charges. Sphere 1 has a charge of $-4.8\times10^{-18}\,\mathrm{C}$. Sphere 2 has 30 excess protons. If the two spheres are brought into contact and then separated, what charge will each have? How many electrons or protons does this correspond to?

Q_{new}:

Number of electrons:

