

CHEMBUDDY CHAPTER 2  
2.1 BOHR'S ATOMIC MODEL



CHOOSE THE CORRECT ANSWER

| NO | QUESTION                                                                                                               | ANSWER                                                                                                                                                               |
|----|------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1  | Energy is inversely proportional to                                                                                    | A. wavelength<br>B. frequency<br>C. wave number<br>D. Planck's constant                                                                                              |
| 2  | Calculate the energy required to excite an electron from $n=2$ to $n=4$ .                                              | A. $4.09 \times 10^{-19} \text{ J}$ C. $2.05 \times 10^6 \text{ J}$<br>B. $5.45 \times 10^{-19} \text{ J}$ D. $2.74 \times 10^6 \text{ J}$                           |
| 3  | Choose the highest energy involved when an electron makes a transition.                                                | A. $n=4$ to $n=3$<br>B. $n=2$ to $n=1$<br>C. $n=4$ to $n=2$<br>D. $n=3$ to $n=1$                                                                                     |
| 4  | What is the frequency, in $\text{s}^{-1}$ , of a radiation with energy of $3.37 \times 10^{-19} \text{ J}$ per photon? | A. $5.08 \times 10^{-54} \text{ s}^{-1}$ C. $5.08 \times 10^{-15} \text{ s}^{-1}$<br>B. $5.08 \times 10^{14} \text{ s}^{-1}$ D. $5.08 \times 10^{15} \text{ s}^{-1}$ |
| 5  | Calculate the wavelength in nm of the second line in Lyman series.                                                     | A. $1.026 \times 10^{-16} \text{ nm}$<br>B. $1.026 \times 10^2 \text{ nm}$<br>C. $9.75 \times 10^6 \text{ nm}$<br>D. $975 \times 10^{-3} \text{ nm}$                 |
| 6  | What is the minimum amount of ionization energy of hydrogen atom at ground state?                                      | A. $1312.36 \text{ kJ mol}^{-1}$<br>B. $2.18 \times 10^{-18} \text{ J}$<br>C. $2.18 \times 10^{-18} \text{ J mol}^{-1}$<br>D. $1312.36 \text{ J mol}^{-1}$           |
| 7  | Calculate the wavelength of the third line in the Balmer series.                                                       | A. 810 nm    C. 434 nm<br>B. 343 nm    D. 520 nm                                                                                                                     |

CHEMBUDDY CHAPTER 2  
2.1 BOHR'S ATOMIC MODEL

|    |                                                                                                                                                                                                                     |                                                                                    |                                                                                    |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| 8  | In the hydrogen atom, an electron transit from a higher to a lower energy level emits a photon with a wavelength of 1282 nm in Paschen series. Determine the energy level of the excited state for this transition. | A. $n = 3$<br>B. $n = 4$                                                           | C. $n = 6$<br>D. $n = 5$                                                           |
| 9  | A line with wavelength of 434 nm was observed in the Balmer series of the emission spectrum of hydrogen. Calculate its frequency.                                                                                   | A. $5.91 \times 10^{14} \text{ s}^{-1}$<br>B. $7.19 \times 10^{14} \text{ s}^{-1}$ | C. $6.19 \times 10^{14} \text{ s}^{-1}$<br>D. $6.91 \times 10^{14} \text{ s}^{-1}$ |
| 10 | Calculate the energy of the photon emitted to produced second line in the Paschen series.                                                                                                                           | A. $2.55 \times 10^{-19} \text{ J}$<br>B. $1.45 \times 10^{-19} \text{ J}$         | C. $1.51 \times 10^{-19} \text{ J}$<br>D. $1.55 \times 10^{-19} \text{ J}$         |

