



แบบฝึกที่ 4

เรื่อง ฉลากยาพาราเซตามอล

คุณประสงค์การเรียนรู้ นักเรียนสามารถอ่านฉลากยาแล้วให้คำแนะนำการใช้ยาเพื่อรักษาความเจ็บป่วยได้

Instruction : Read the medicine labels, causes and symptoms then answer the questions.

คำสั่ง : อ่านฉลากยา, สาเหตุและอาการความเจ็บป่วยแล้วตอบคำถาม.

Example

COCOILA TABLETS

Indication : For treatment of a wide-range of diarrhea.

Dosage : Adult 1-2 tablets every 4-6 hours.

Keep out of the reach of children.

Should be kept at a temperature not exceeding 35 °C

THAI NAKHORN PATANA CO., LTD.

Nonthaburi, Thailand



Wirot is 35 years old.

Last night Wirot ate Somtam, noodles, mangoes and oranges a lot. So in the morning he had to go to the toilet many times.

1. What's the matter with Wirot?

He has got diarrhea.

2. What medicine should he take?

He should take COCOILA.

3. How much medicine should he take?

He should take 1-2 tablets.

4. How often should he take the medicine?

He should take it every 4-6 hours.

A.

Bisolvon EX

Indication : Reduces sputum helps expectoration and eases cough.

Dosage : Adult, 2 teaspoons. Children 6-12 years, 1 teaspoonful.

Children 2-6 years, $\frac{1}{2}$ teaspoonful. Children less than 2 years,

$\frac{1}{4}$ teaspoonful.

3 times per day.

Boehringer Ingelheim



Tongra is 3 years old.

Two days ago Tongra sat in a bus for many hours with the air condition turned up very high. Now he is coughing all day.

1. What's the matter with Tongra?

He has got

2. What medicine should he take?

He should take

3. How much medicine should he take?

He should take

4. How often should he take the medicine?

He should take it

B.

SARA PARACETAMOL

Suspension for Children

Indication : For relief of fever and pains.

Dosage : Children 6 months – 1 year $\frac{1}{2}$ teaspoonful.

Children 1-3 years $\frac{1}{2}$ - 1 teaspoonful. Children 3-6 years 1-2 teaspoonfuls. Every 4-6 hours.

Keep out of the reach of children.

Should be kept at a temperature not exceeding 35 °C

THAI NAKHORN PATANA CO., LTD.

Nonthaburi, Thailand



May is 7 months.

The weather is cold today, but May feel hot.

Her face and her body are hot.

1. What's the matter with May?

She has got

2. What medicine should she take?

She should take

3. How much medicine should she take?

She should take

4. How often should she take the medicine?

She should take it

Instruction : Read the medicine labels, causes and symptoms then answer the questions. (C-E)

TIFFY FU

TABLETS

Indication : Symptomatic relief of common cold with nasal congestion, running nose, headache and fever.

Dosage : - Adult 1-2 tablets every 4-6 hours.
- Children 6-12 years 1 tablet every 4-6 hours.

THAI NAKHORN PATANA CO., LTD.
Nonthaburi, Thailand

PARACETAMOL TABLETS

500 Mg.

Indication : Analgesic antipyretic for relief of headache, toothache, myalgia, dysmenorrhoea.

Dosage : Adult, 1-2 tablets. Children 6-12 years, $\frac{1}{2}$ tablet. Every 4 or 6 hours.

**THE GOVERNMENT PHARMACEUTICAL
ORGANIZATION,
BANGKOK, THAILAND.**

C.



Adisak is 12 years old.

Adisak often eats candy, chocolate, and other sweets.

But he doesn't brush his teeth very often. Now he has problems with his teeth.

1. What's the matter with Adisak?

He has got

2. What medicine should he take?

He should take

3. How much medicine should he take?

He should take

4. How often should he take the medicine?

He should take it

D.



Tata is 10 years old.

Tata was inside a plane for six hours with people that were sneezing and coughing all around her. So today she has got a runny nose and she is sneezing all the time.

1. What's the matter with Tata?

She has got

2. What medicine should she take?

She should take

3. How much medicine should she take?

She should take

4. How often should she take the medicine?

She should take it

E.



Wanchai is 20 years old.

Yesterday Wanchai had an examination. It was so hard. So today he can't think. He has got terrible pain in his head.

1. What's the matter with Wanchai?

He has got

2. What medicine should he take?

He should take

3. How much medicine should he take?

He should take

4. How often should he take the medicine?

He should take it