

1. What are the causes of the following diseases?

	<b>AIDS</b>	<b>Syphilis</b>	<b>Gonorrhea</b>
A.	Bacterium	Virus	Virus
B.	Bacterium	Bacterium	Virus
C.	Virus	Bacterium	Bacterium
D.	Virus	Virus	Bacterium

☐

2. Which of the following Sexually Transmitted Infections (STIs) are spread by bacteria?

- A. AIDS, Chlamydia and Gonorrhoea.
- B. AIDS, Chlamydia and Syphilis.
- C. AIDS, Gonorrhoea and Syphilis.
- D. Chlamydia, Gonorrhoea and Syphilis.

☐

3. Which of the following Sexually Transmitted Infections (STIs) cannot be cured by using antibiotics?

- A. AIDS and syphilis.
- B. Gonorrhoea.
- C. AIDS.
- D. Syphilis.

☐

4. Which one of the following infections is indicated by sores around the reproductive organs?

- A. AIDS.
- B. Gonorrhoea.
- C. Hepatitis.
- D. Syphilis.

☐

5. Why does a person infected with HIV catch other diseases easily?

- A. The circulatory system is damaged.
- B. The immune system is damaged.
- C. The nervous system is damaged.
- D. The reproductive system is damaged.

☐

6. Which of the following shows the symptoms of a man infected with HIV?

A.	Abdominal pain and pain in the testes.
B.	Abdominal pain and cancer of the blood vessels.
C.	Brain infection and cancer of the blood vessels.
D.	Brain infection and pain in the testes.

☐

7. A doctor has diagnosed three persons with the following symptoms as having sexually transmitted infections.

Person	Symptoms
I	Have painless sore, ulcer on the mouth and external genitals
II	Experience burning sensation when urinating, yellow pus discharge from urethra
III	Have cancer of blood cells

Which of the following sexually transmitted infections do Person I, II and III suffer from?

	Person		
	I	II	III
A.	AIDS	Gonorrhoea	Syphilis
B.	AIDS	Syphilis	Gonorrhoea
C.	Syphilis	Gonorrhoea	AIDS
D.	Syphilis	AIDS	Gonorrhoea

☐

8. Patients **X**, **Y** and **Z** are suspected to have different sexually transmitted infections (STIs) with the following signs and symptoms.

Patient **X** - Painful when urinating with yellow pus discharged.

Patient **Y** - Painful when urinating with cloudy discharged and pain in the testes.

Patient **Z** - Lesions on the skin and ulcers on the mouth and vagina.

Based on the signs and symptoms above, which of the following correctly identifies the infection that patients **X**, **Y** and **Z** are suffering from?

	Patient X	Patient Y	Patient Z
A.	Chlamydia	Gonorrhoea	Syphilis
B.	Chlamydia	Syphilis	Gonorrhoea
C.	Gonorrhoea	Chlamydia	Syphilis
D.	Gonorrhoea	Syphilis	Chlamydia

☐

9. Which of the following behaviour will transmit gonorrhea and syphilis?

- A. Sexual intercourse with an infected person.
- B. Sharing a bathroom with an infected person.
- C. Sharing injection needles with infected person.
- D. Sneezing and running nose from an infected person.

☐

10. Sexually Transmitted Infections (STDs) like AIDS, syphilis and gonorrhea can be prevented by:

- A. Sharing injection needles and ear-piercing equipment.
- B. Reusing shaving blades at the barbers.
- C. Not having any sexual relationships outside marriage.
- D. Getting involved in drug addiction.

☐

11. Which of the following will help prevent Sexually Transmitted Infections (STIs)?

- A. Having sexual relationship other than with own spouse.
- B. Using disposable needles for injections at hospitals.
- C. Receiving infected blood through blood transfusion.
- D. Sharing instrument for ear piercing and acupuncture.

☐