DENTAL ANESTHESIOLOGY

COMPLETE THE TEXT WITH THE MISSING WORDS FROM THE CHART

Serious procedures	Unconscious	Lidocaine	An entire section of the mouth
Local anesthetics	Ointment gel	Nitrous oxide	Gums
Laughing gas	Injected	Liquid	Surgeries
Block	Topical anesthetics	Sedate	General anesthetics

_____: The most common is Benzocaine, which usually comes as an _____ which is applied to the _____.It is capable of numbing a small section of the mouth.


_____: The most common is _____, which comes as a _____; this is _____into the gums. It is capable of numbing _____.

_____: Used for _____ such as _____. It causes a patient to become _____.

_____ or _____ is a good option to _____ a patient. It acts as a _____ to the nervous system.

LIVEWORKSHEETS

DENTISTRY AND MEDICATION



LIVEWORKSHEETS

WATCH THE VIDEO AND COMPLETE THE INFORMATION

PERIODONTITIS IS PRESENT IN _____ PERCENT OF ADULT POPULATION

THE PRESENCE OF GUM DISEASE IS DETERMINED DURING A ROUTINE _____

HEALTHY TEETH AND GUMS ARE INDICATED BY A POCKET DEPTH OF _____ WITH NO _____ OR _____

STAGE TWO OF GUM DISEASE IS KNOWN AS _____

GINGIVITIS IS INDICATED BY POCKET DEPTHS OF _____

LIVEWORKSHEETS

STAGE THREE OF GUM DISEASE TREATMENT MAY INCLUDE _____

STAGE FOUR OF GUM DISEASE IS INDICATEB BY POCKET DEPTHS OF _____. STAGE FOUR IS CHARACTERIZED BY DETERIORATION OF _____ AND SURROUNDING _____

LIVEWORKSHEETS