

## ELECTRON CONFIGURATION

### ELECTRON SHELLS


- Electrons constantly move around the \_\_\_\_\_ of an atom. They orbit the nucleus in specific \_\_\_\_\_ or \_\_\_\_\_ that surround the nucleus. A shell is also called an \_\_\_\_\_. It called so because a shell is associated with a certain amount of \_\_\_\_\_.
- The shell closest to the nucleus has the \_\_\_\_\_ energy. \_\_\_\_\_ in this shell have the least amount of energy. As you move away from the nucleus, the \_\_\_\_\_ associated with a shell \_\_\_\_\_. Electrons in the shell furthest away from the nucleus have the \_\_\_\_\_ energy.
- Each shell has a maximum number of \_\_\_\_\_ it can hold.
  - The first shell can hold \_\_\_\_\_ electrons.
  - The second shell can hold \_\_\_\_\_ electrons.
  - The third shell can hold \_\_\_\_\_ electrons.
  - The fourth shell can hold \_\_\_\_\_ electrons.
- In large atoms, you can find up to \_\_\_\_\_ shells. No shell can hold more than \_\_\_\_\_ electrons.

### ELECTRON CONFIGURATION


- How electrons are arranged in the shells of an atom is called \_\_\_\_\_. Electrons "fill" or take up \_\_\_\_\_ in each shell.
- In general, electrons fill \_\_\_\_\_ shells first because lower shells have \_\_\_\_\_ energy. Once a shell is full, electrons begin to fill the next \_\_\_\_\_ shell.

### BOHR DIAGRAM

- To show electron configuration, we draw a diagram called a \_\_\_\_\_ Diagram. To draw a Bohr Diagram:
  - Draw a \_\_\_\_\_ to represent the nucleus of an atom.
  - Write the \_\_\_\_\_ of the element, the number of \_\_\_\_\_ and number of \_\_\_\_\_ inside the circle.
  - Draw \_\_\_\_\_ around the circle to represent electron shells.
  - Draw electrons as \_\_\_\_\_ on the rings. Remember, each "ring" can only hold so many electrons.
- Draw a Bohr diagram of Carbon, which has 6 protons, 6 neutrons and 6 electrons.




- Draw a Bohr diagram of Sodium, which has 11 protons, 12 neutrons and 11 electrons.



#### ELECTRON CONFIGURATION

- Atoms with four or more shells have a \_\_\_\_\_ electron configuration. Electrons do not \_\_\_\_\_ fill lower shells before filling \_\_\_\_\_ shells.
- Electrons are configured this way because it requires less \_\_\_\_\_ to take up space in higher shells before completely filling \_\_\_\_\_ shells.
- Draw the electron configuration for iron, which has 26 electrons.



#### VALENCE ELECTRONS

- The electrons found in the outermost orbital are called \_\_\_\_\_ electrons. For this reason, the outermost shell is also called the \_\_\_\_\_ shell. The number of \_\_\_\_\_ electrons determines many chemical \_\_\_\_\_ of an element.
- An atom cannot have more than \_\_\_\_\_ valance electrons. An atom with \_\_\_\_\_ valance electrons is said to have a \_\_\_\_\_ outer shell. For example, \_\_\_\_\_ has 8 valance electrons.
- Helium has a full valance shell with only \_\_\_\_\_ electrons. Helium only has one shell. The maximum number of electrons held in the first shell is \_\_\_\_\_ electrons. Since the shell holds the maximum number of \_\_\_\_\_ it can hold, Helium is said to have a \_\_\_\_\_ valance shell.