DRUGS

Task 1. DRUGS. Fill the blank with the right word from the list below. You may use each word once only.

antiseptic ***cleanse*** ***disease*** ***fester*** ***ointment***
plaster ***skin*** ***wound***

Treatment of a Minor Injury

. . . . . the wound thoroughly and apply an . . . . . to counteract germs which spread . . . . . Otherwise the wound may . . . . . Sticking . . . . . may be applied or the . . . . . may be bandaged. . . . . may be smeared over the . . . . . .

Task 2. DRUGS. Fill the blanks with the right word from the list below. You may use each word only once.

administer ***after*** ***antibodies*** ***diseases*** ***fight*** ***generally***
harmless ***serums*** ***including*** ***smallpox*** ***injected***
substances ***orally*** ***symptoms*** ***prevent*** ***vaccines*** ***prevention***

Drugs That Prevent Disease

Doctors use two main types of drugs for the . . . . . of disease:

1. Vaccines contain dead or . . . . germs. They cause the body to develop . . . . called . . . . that act to . . . . . disease. Doctors . . . . before a person has been exposed to such . . . . . as poliomyelitis or . . . . . Vaccines are usually . . . . . but sometimes are given . . . . .

2. Serums contain antibodies that . . . . . off the germs of certain diseases, ... scarlet fever and lockjaw. These drugs are given . . . . . a person has been exposed to the disease, or after . . . . . of the disease have appeared, ... are . . . . . administered by injection.

LIVEWORKSHEETS

Task 3. DRUGS. Fill the blanks with the words from the list. You may need to change the form of the words. You may use each word once only.

acute	*apply*	*case*	*compress*	*condition*	*cream*
different	*disorders*	*fold*	*lotion*	*nature*	
necessary	*ointment*	*part*	*skin*	*strongly*	*treatment*

Pimafucort Presentations.

The . . . . . presentations of Pimafucort are especially adapted to the . . . . . of various skin . . . . . For treatment of . . . . . and subacute skin disorders and in the treatment of . . . . . of the hairy . . . . . of the skin, and those localized in the skin . . . . . , Pimafucort . . . . . and Pimafucort . . . . . should be used, whereas in the . . . . . of chronic disorders of the skin with desquamations, dry or fissured skin lesions, Pimafucort ointment will be . . . . . . For acute, very moist skin disorders it may be . . . . . to use Pimafucort cream or Pimafucort lotion with a . . . . . In some . . . . . an "alternating treatment" may be indicated, e.g. in intertriginous enzema (in this instance Pirnafucort . . . . . softens the . . . . . too much, whereas the cream and lotion dehydrate it too . . . . .) .

LIVEWORKSHEETS