

PROBLEMS AND TREATMENTS II

1. MATCH.

ointment	liquid medication to be applied in very small amounts to the eyeball.
bandage	suspend or arrange (something), especially with a strap or straps, so that it hangs loosely in a particular position.
capsule	a smooth oily preparation that is rubbed on the skin for medicinal purposes or as a cosmetic.
eyedrops	a small case or container, especially a round or cylindrical one.
sling	a strip of material used to bind a wound or to protect an injured part of the body.

2. SYNONYMS. Write the synonyms in the boxes.

OINTMENT	MEDICINE	PASTILLE	INJECTION
	SHOT		DRUG
	TABLET		RUB
	CREAM		LOTION
	PRESCRIPTION		LOZENGE
	REMEDY		CURE
	PILL		DOSE
	VACCINATION		SHOT

3. MATCH.

<u>infected</u>	(of a bone or hard object) broken; cracked.
<u>fractured</u>	a raw or painful place on the body.
<u>bleed</u>	(especially of a part of the body) become larger or rounder in size, typically as a result of an accumulation of fluid.
<u>sore</u>	(of a person, organism, etc.) affected with a disease-causing organism.
<u>swollen</u>	lose blood from the body as a result of injury or illness.

4. SYNONYMS.

BLEEDING	BROKEN	PAINFUL	INFLAMATION	TENDER
HEMORRHAGE	SWELLING	ACHING		
	SENSITIVE	FRACTURED		

5. SYNONYMS FOR SYMPTOMS.

VOMITING	FEVER	TIREDDNESS	OOZE	MUCUS
FATIGUE	DISCHARGE	HIGH TEMPERATURE		
	SLIME	NAUSEA		

6. SYMPTOMS. Put the symptoms under the disease.

SORE EYES	COLD	EAR INFECTION	CHICKENPOX	FLU
<ul style="list-style-type: none">• Sneezing.• Stuffy nose.• Runny nose.• Sore throat.• Coughing.• Mucus dripping down your throat (post-nasal drip)• Watery eyes.• Fever	<ul style="list-style-type: none">• an itchy, red rash that breaks out on the face, scalp, chest, back and, to a lesser extent, arms and legs	<ul style="list-style-type: none">•pain•a high temperature.•being sick.•difficulty hearing.•discharge running out of the ear.	<ul style="list-style-type: none">• Fever• cough.• sore throat.• runny or stuffy nose.• muscle or body aches.• headaches.• fatigue• vomiting and diarrhea	<ul style="list-style-type: none">• Sore, tired, burning or itching• Blurred or double vision.• Headache.• Increased sensitivity to light