

Put the following phrases into the correct order

1. carcinogens according to in many studies cause cancer evidence
2. that data indicates lead to longer life expectancy high cancer rates
3. the mortality rate has decreased findings reveal that of cancer
4. cancer begins with in a cell past studies established a mutation that
5. a leading cause of death cancer is Statistics show that in the United States.

Decide if the following statement is TRUE or FALSE basing on the first sentence

1. 10 million people die from cancer every year.
→ Cancer kills 0,1 billion people every year.
2. More than 40% of cancer-related death could be preventable
→ We can prevent nearly two fifths of cancer-related deaths.
3. Almost one third of all deaths related to cancer could be prevented through routine screening, and early detection and treatment.
→ Routine screening, and early detection and treatment can help prevent more than 33% of all cancer-related deaths.
4. Currently tobacco use is responsible for 30% of all cancer deaths and 80% of all lung cancer deaths
→ Nowadays, Tobacco use accounts for nearly one third of all cancer deaths, and four fifths of all lung cancer deaths.

5. Around 70% of cervical cancers are caused by Human papillomavirus (HPV) infections.
→ Human papillomavirus (HPV) infections cause three quarters of cervical cancers.
6. 80% of all cancers in the United States are diagnosed in people 55 years of age or older.
→ In the United States exactly one fifths of all cancers are diagnosed in people under 55 years of age.
7. About 67% of Americans diagnosed with cancer survive five or more years after their diagnoses.
→ Nearly one thirds of Americans diagnosed with cancer don't survive five years after their diagnoses
8. Half of all men and one-third of all women in the US will develop cancer during their lifetimes
→ 50% of men and 66% of all women in the US will be cancer-free during their lifetimes.