

Fill in the spaces with the correct word(s) according to the definitions given.

Endo is the Greek word which means _____ and odont is Greek which means_____.

_____ Are removable or fixed teeth for people who have lost all or most of their teeth.

_____ Is a condition in which a person stops breathing for short periods of time during sleep.

There are 2 types of extractions which are _____ and _____.

_____ is the formal term for a dental extraction.

_____ is an uncontrolled growth of cells which can be in any part of the body.

Match the two columns.

- A. It is the most common orthodontic problem seen in dental offices.
- B. Some examples of facial trauma include.
- C. Treatments for sleep Apnea.
- D. Two procedures performed by a maxillofacial surgeon which can be done before implants placement.
- E. A long tear or wound.
- F. It is a congenital split in the upper lip.
- G. Some symptoms of a tooth which may require a root canal procedure.
- H. Some minor complications after an extraction.
- I. A prosthetic tooth made from gold, metal or porcelain.
- J. Two symptoms of oral cancer might include.
- K. It sometimes happens after an extraction when a blood cloth fails to develop or dislodges.

- Fractures and avulsed teeth.
- Crown
- Uvulo-Palato-Pharyngo-Plasty and Orthognathic surgery.
- Crusts and speckled patches that do not go away
- Sinus graft and Ridge expansion
- Dry socket
- Crowded teeth
- Laceration
- Infection, swelling and bruising
- Cleft lip
- Abscess, toothache and swelling

Fill in the gaps with the correct word from the chart.

Overbite	Incision	Spaced teeth	Open bite
Extraction	Missing	Underbite	Bleeding

In order to remove an impacted tooth an _____ may be required.

After an extraction, it is normal to have some _____.

However, it should stop in about an hour.

_____ is the opposite of crowded teeth.

Some ways to create space when teeth are overcrowded are:

Expansion, reshaping, procyling and _____.

Small teeth and _____ teeth are to causes for spaced teeth.

_____ is when the upper teeth overlap more than they should.

_____ is when the lower teeth are too far forward .

_____ is when a person's teeth do not meet when the mouth is closed.

Fill in the spaces with the correct word(s) according to the definitions given.

A branch of dentistry that treats malocclusion and correcting position of teeth as well as other problems related to the alignment of the teeth and other structures.

A branch of dentistry that has to do with the replacement of missing teeth.

A branch of dentistry that specializes in treating several diseases, injuries and defects in the head, neck, face, jaws and their tissues.

A branch of dentistry concerning with dental pulp and tissues surrounding the roots of a tooth.