

Under the patronage of His Excellency,
the Minister of Education

Mr. Mohamed Abdel Latif

And the guidance of the Assistant Minister for
Curriculum Affairs and the Supervisor of the Central
Department for Curriculum Development

Dr. Akram Hassan

Assessments and Assignments

Computer & Information and Communication Technology

Third Preparatory grade.

Preparation Committee

Eng. Waseem Salah El-Din El-Manzlawy

Review Committee

Mr. Tamer Abdel Mohsen Mansour

Scientific Supervision

Educational Computer Consultant

Dr. Abeer Hamed Ahmed

Translated by

Dr. Solaf Mohamed

General Reference

Miss. Asmaa Hamdy Aly



Third Grade Prep - Weekly Assessment and Assignment – Week (6)

Weekly Assessment

First test

Put (√) in front of the correct statement or (x) in front of the incorrect statement

1. IF the conditional expression is not true, execute the following commands for Else. ()
2. In the **If...Then...Else** statement, the commands that follow "Then" are executed in all cases. ()

Second test

Put (√) in front of the correct statement or (x) in front of the incorrect statement

1. The conditional expression **B = 8**, checks if the value of **B** is greater than **12**. ()
2. The commands following "**Else**" are executed if the result of the conditional expression is True. ()

Third test

Put (√) in front of the correct statement or (x) in front of the incorrect statement

1. The conditional expression **X < 3.14** consists of a logical sign between a variable and a constant. ()
2. Regardless of the result of the conditional expression, the commands that follow "**Else**" are executed. ()

Classroom Assessment

(1) Using the following code:

```
If X >= 50 Then  
    MsgBox("successful")
```



Else

MsgBox ("Fail")

End if

- The message box is displayed with the text "Fail " when:
- If the value of $X = 50$, the result of the code execution is:
- If the value of $X = 62$, the result of the code execution is:

Homework

Choose the appropriate answer to complete each of the following statements:

If $X \geq 50$ Then

MsgBox("successful")

Else

MsgBox ("Fail")

End if

In the previous code when executed:

1- If the value of x equals 45:

- A- A message box appears with the words "Successful".**
- B- A message box appears without text.**
- C- A message box appears with the words "Fail".**
- D - Executes the following code for End if**

2- In the previous code, when the conditional expression is not met:

- A- The commands that follow Then are executed.**



B- No orders are executed.

C- The commands that follow Else are executed.

D- The commands that follow End If are executed.