



# Comparing Sugar and Glucose

Glucose, sugar, and starch are all types of carbohydrates that provide energy for our bodies. However, their chemical structure and how they affect our bodies differ.



Glucose is a simple sugar that is the primary source of energy for our bodies' cells. It is found in foods like fruits, honey, and corn syrup.

Sugar, also known as sucrose, is a carbohydrate made up of glucose and fructose. It is found in sugarcane, sugar beets, and many processed foods.

Starch is a complex carbohydrate made up of many glucose molecules linked together. Starch takes longer to be broken down into glucose, providing a more sustained release of energy. Starch is commonly found in low-GI foods, such as whole grains, legumes, and starchy vegetables. These foods take longer to digest and provide a steady source of energy over a longer period, making them a good choice for maintaining stable blood sugar levels and making you feel full for longer.



When we eat foods containing glucose, our body quickly absorbs it into the bloodstream to use as energy. Foods such as white bread, sugary drinks, and sweets, contain more simple sugars and fewer complex carbohydrates. These foods are quickly digested and absorbed, causing a rapid rise in blood sugar levels and a corresponding surge in insulin levels. Overeating sugar can lead to spikes in blood sugar levels and can increase the risk of developing conditions like obesity and type 2 diabetes.

On food packaging, you can usually find information about the total amount of carbohydrates in the product and the amount of sugar and fibre. However, it may be more difficult to determine the specific type of carbohydrate present in the food, such as whether it is a simple sugar or a complex carbohydrate.

One way to get a general idea of the type of carbohydrate present in a food is to look at its glycaemic index (GI). Foods with a high GI are typically higher in simple sugars while foods with a low GI are usually higher in complex carbohydrates. However, the GI of a food can also be affected by other factors, such as the amount of fibre or fat it contains, so it is not always a perfect indicator of the type of carbohydrate present.

You may need to consult the nutrition facts label or ingredient list to get a more detailed breakdown of the types of carbohydrates in a portion of food. The nutrition facts label will usually provide information about the total amount of carbohydrates as well as the amount of sugar and fibre. The ingredient list can also give you a clue about the types of carbohydrates present as ingredients like sugar, high fructose corn syrup, and white flour are generally higher in simple sugars. In comparison, ingredients like whole grains, vegetables, and legumes are higher in complex carbohydrates.

It's important to consume various carbohydrates, including glucose, sugar, and starch as part of a balanced diet. However, it's also important to be aware of the amount and type of carbohydrates we consume to maintain a healthy lifestyle.

### Exercises:

#### Exercise 1. Read the statements and decide if they are **True (T)** or **False (F)**.

1. Glucose is the main source of energy for the body's cells.
2. Sugar and glucose are exactly the same substances.
3. Starch is made up of many glucose molecules.
4. Foods with complex carbohydrates give quick bursts of energy.
5. A high glycaemic index usually means the food contains more simple sugars.

#### Exercise 2. Match the words with their definitions

- A. Glucose
- B. Sucrose
- C. Starch
- D. Glycaemic Index (GI)
- E. Complex carbohydrates

- 1. A measure of how quickly food raises blood sugar levels
- 2. A carbohydrate made of glucose and fructose
- 3. The body's primary energy source
- 4. Carbohydrates that digest slowly and provide steady energy
- 5. A carbohydrate made of many glucose molecules linked together

#### Exercise 3. Complete the sentences using words from the box.

|         |        |         |       |             |
|---------|--------|---------|-------|-------------|
| glucose | starch | insulin | fibre | blood sugar |
|---------|--------|---------|-------|-------------|

1. Foods high in simple sugars can cause a rapid rise in \_\_\_\_\_ levels.
2. \_\_\_\_\_ takes longer to break down and provides sustained energy.
3. Eating too much sugar can lead to spikes in \_\_\_\_\_.
4. Foods containing more \_\_\_\_\_ can lower the glycaemic index.
5. The body uses \_\_\_\_\_ as energy for its cells.

#### **Exercise 4. Choose the correct answer**

1. Which food is most likely to have a low GI?
  - A. Sugary drinks
  - B. Sweets
  - C. Whole grains
2. Overeating sugar can increase the risk of:
  - A. Better digestion
  - B. Type 2 diabetes
  - C. Muscle growth
3. Nutrition labels usually show:
  - A. Total carbohydrates, sugar, and fibre
  - B. Only glucose content
  - C. Only calories
4. According to the text, what makes starch different from simple sugars in terms of energy release?
  - A. It is absorbed immediately into the bloodstream.
  - B. It provides a more sustained release of energy over a longer period.
  - C. It is only found in processed foods.
5. Which of the following describes the chemical composition of sucrose?
  - A. Pure starch molecules linked together.
  - B. A mixture of fibre and glucose.
  - C. A combination of glucose and fructose.