

This label is for questions 1 and 2.

Skin Cream

Indications : For minor burns, insect bites, and minor cuts. Helps prevent infection.

Direction : Apply a thin layer on the affected area three times a day. Do not use it for more than two weeks.

Caution : Do not use on deep wounds. For external use only.

Keep out of children's reach. Consult a doctor if irritation occurs.

Net weight : 5 gram

Expiration : January 2019

1. It is not suggested to use this product for

- A. less than two hours
- B. more than three hours
- C. less than two weeks
- D. more than two weeks

2. "Consult a doctor if irritation occurs".

The underlined word has the same meaning with

- A. Illness
- B. Pain
- C. injury
- D. hurt

Read this text to answer questions 3 to 6!

PAIN KILLERS	COUGH SYRUP
To relieve fever and Headache	Shake well before use to relieve fever, flu, And coughs.
Dosage. Children under 12. One tablet, Twice a day	Dosage. Children under 12. One teaspoonful after
Adults. Two tablets three times a day	Meal, three times a day
	Adults. Two teaspoonfuls after meal three times a day

3. Which statement is not correct based on the text?

- A. Pain Killer can be used by kids
- B. Cough Syrup can be taken after meal
- C. Both medicines are in the form of liquid
- D. Both medicines can be used to relieve fever

4. Dina's mother has got a severe headache. She has taken Pain Killer for a week.

How many tablets has she consumed?

- A. 4
- B. 28
- C. 21
- D. 42

5. I am forty years old. My sister is four years younger than me. How many tablets must she consume when she suffers from headache?

- A. One teaspoonful three times a day
- B. Two teaspoonfuls three times a day
- C. One tablet twice a day
- D. Two tablets three times a day.

6. From the text we can conclude that

- A. People have to shake the pain killer before use
- B. People have to take pain killer when they suffer from cough
- C. People have to take cough syrup when they suffer from flu
- D. Pain killer is a kind of capsule