

## THE MAIN TOPICS IN THIS WORKSHEET

Introduction to HTML and DHTML  
Tags in HTML



## IT Course (G6 Worksheet)

**2020 – 2021**

IT Teacher:  
Miss. Sahar Salem

➤ Match the HTML Tags with the correct definitions.

Open Tag	Closed Tag	
<code>&lt;html&gt;</code>	<code>&lt;/html&gt;</code>	Can include a title for the document, scripts, styles, meta information, and more.
<code>&lt;head&gt;</code>	<code>&lt;/head&gt;</code>	This tag specifies the title of a web page.
<code>&lt;title&gt;</code>	<code>&lt;/title&gt;</code>	Everything about the web page should be written within this tag. This has to be the first tag of any HTML coding.
<code>&lt;body&gt;</code>	<code>&lt;/body&gt;</code>	The content of the whole web page should be put within this tag.
<code>&lt;h1&gt;</code>	<code>&lt;/h1&gt;</code>	This tag is used to provide <u>underline</u> effect to the content.
<code>&lt;b&gt;</code>	<code>&lt;/b&gt;</code>	This tag is used to provide bold effect to the content.
<code>&lt;u&gt;</code>	<code>&lt;/u&gt;</code>	This tag is used for provide heading to your document.
<code>&lt;p&gt;</code>	<code>&lt;/p&gt;</code>	This tag is used to provide <i>italics</i> effect to the content.
<code>&lt;br&gt;</code>		This tag is used to provide break in a sentence.
<code>&lt;i&gt;</code>	<code>&lt;/i&gt;</code>	This tag is used to indicate different paragraphs in the content.
<code>&lt;img&gt;</code>		This tag defines an image in an HTML page.



➤ Test your knowledge. State whether true or false.



1. HTML is a hypertext mixup language.		
2. HTML is case sensitive.		
3. <> this is an open tag symbol.		
4. <i> tag is used to insert image in a webpage.		
5.   ... </br> is a tag used in HTML.		

➤ Fill in the blanks with the words provided.

<b>DHTML</b>	<b>tags</b>	<b>&lt;&gt;</b>	<b>CSS</b>
<b>&lt;body bgcolor&gt;</b>	<b>&lt;br&gt;</b>	<b>HTML</b>	<b>&lt;b&gt;</b>

1. \_\_\_\_\_ stands for hypertext markup language.

2. The building blocks for an HTML document are contents and \_\_\_\_\_.

3. \_\_\_\_\_ stands for dynamic hypertext markup language.

4. Open tags and closed tags are represented \_\_\_\_\_ and </> respectively.

5. To change the background color of a web page \_\_\_\_\_ tag is used.

6. \_\_\_\_\_ stands for cascading style sheets. It is a way to style HTML.

7. \_\_\_\_\_ tag is used to provide break in a sentence.

8. \_\_\_\_\_ and <u> tags are used to bold and underline the content of a web page.