

ĐÁP ÁN ĐỀ THI KẾT THÚC HỌC PHẦN LÝ THUYẾT

Câu	Ý	Đáp án	Điểm
1			2.0
		<pre> int F(int n){ if(n==1) return 1; if(n==2) return 3; return 3*F(n-2) + F(n-1) + 10; } </pre>	0.5 0.5 1
3			3.0
	a.	<pre> void Xuat2DongSoChan(int a[], int n){ int tong = 0; for(int i=0;i<n;i++){ if(a[i]%2==0){ cout<<a[i]<<"\t"; tong=tong + a[i]; } } cout<<endl; cout<<"Tong = "<<tong; } </pre>	0.25 1 0.5 0.25
	b.	<pre> int DemMax(int a[], int n){ int max = a[0],d=0; for(int i=0;i<n;i++) if(max<a[i]) max=a[i]; for(int i=0;i<n;i++) if(a[i]==max) d++; } </pre>	0.25 0.25

		<pre> return d; } </pre>	0.5
4			3
	c.	<pre> int Cau4a(XeMoTo ds[], int n){ float tong=0; for(int i=0;i<n;i++) if(ds[i].NhaSX=="Honda") tong=tong+ds[i].GiaThanh; return tong; } </pre>	0.25 1 0.25
	d.	<pre> int Cau4b(XeMoTo ds[], int n){ int d=0; for(int i=0;i<n;i++){ if(ds[i].NamSX==2017 && ds[i].DungTich>=110) d++; return d; } </pre>	0.25 1 0.25