









Area de un rectángulo

Figura	Fórmula	Sustitución	Resultado
 8cm 3cm	$A =$	$A =$	$A = \quad cm^2$
 9m 2m	$A =$	$A =$	$A = \quad m^2$
 3 ½ cm 2 ½ cm	$A =$	$A =$	$A = \quad cm^2$
 6cm 4 ¼ cm	$A =$	$A =$	$A = \quad cm^2$





Area de un triángulo

Figura	Fórmula	Sustitución	Resultado
	$A = \underline{\hspace{2cm}}$	$A = \underline{\hspace{2cm}}$	$A = \hspace{1cm} \text{cm}^2$
	$A = \underline{\hspace{2cm}}$	$A = \underline{\hspace{2cm}}$	$A = \hspace{1cm} \text{cm}^2$
	$A = \underline{\hspace{2cm}}$	$A = \underline{\hspace{2cm}}$	$A = \hspace{1cm} \text{m}^2$
	$A = \underline{\hspace{2cm}}$	$A = \underline{\hspace{2cm}}$	$A = \hspace{1cm} \text{m}^2$

Area de un romboide

Figura	Fórmula	Sustitución	Resultado
 A rhomboid with a base of 32 m and a height of 30 m.	$A =$	$A =$	$A = \quad m^2$
 A rhomboid with a base of 15 cm and a height of 4 cm.	$A =$	$A =$	$A = \quad cm^2$
 A rhomboid with a base of 10 cm, a height of 3.2 cm, and a side length of 4 cm.	$A =$	$A =$	$A = \quad cm^2$
 A rhomboid with a base of 9 dam, a height of 4 dam, and a side length of 5 dam.	$A =$	$A =$	$A = \quad dam^2$

Area de un trapecio

Figura	Fórmula	Sustitución	Resultado
	$A = \underline{\hspace{2cm}}$	$A = \underline{\hspace{2cm}}$	$A = \hspace{1cm} m^2$
	$A = \underline{\hspace{2cm}}$	$A = \underline{\hspace{2cm}}$	$A = \hspace{1cm} m^2$
	$A = \underline{\hspace{2cm}}$	$A = \underline{\hspace{2cm}}$	$A = \hspace{1cm} cm^2$
	$A = \underline{\hspace{2cm}}$	$A = \underline{\hspace{2cm}}$	$A = \hspace{1cm} m^2$