

UNIT 6, LESSON 3 SHOULD FOR ADVICE AND SUGGESTIONS



A *▶* Listen to Amy talking with her mother and her boss. What advice do they give her? Check the things Amy should do.

Conversation 1

- 1. take a cough drop
- 2. go to the doctor
- 3. stay home
- 4. drink tea with honey

Conversation 2

- 1. get some rest
- 2. go to work in the afternoon
- 3. work at home
- 4. take some medicine
- 5. watch a movie

B Complete the conversations. Use *should* or *shouldn't*. Use the verb in parentheses. Add a subject pronoun when necessary.

1. Eliza: I have a headache. Should I take (take) something for it?

Jen: Yes, you should (take). Wait—I have some aspirin in my purse. Here you are.

Eliza: Thanks. How many (take) ?

Jen: Two.

2. Diane: You look sick, Steve! Why are you here? You shouldn't (be) at work. You should (be) home.

Steve: No, (stay) and finish my work.

3. Karl: David called. He missed the bus, and he's running late.

Tim: We should (start) the meeting without him.

Karl: Lynn, what do you think? What should (do) ?

Lynn: I agree with Tim. We should (wait). Let's get started.

C Jack sprained his ankle. Read the instructions from his doctor. Then complete the sentences. Use *should* or *shouldn't* + the verb in parentheses.

1. Jack should keep (keep) his ankle up high.

2. His ankle shouldn't (be) higher than his chest.

3. He should put (put) ice on his ankle.

4. He should keep (keep) the ice on his ankle all the time.

5. He shouldn't (watch) a video on the medical center website.

6. The bandage should stay (stay) on his ankle for more than 36 hours.

7. He shouldn't (walk) on his sprained ankle.

8. He should call (call) his doctor if he has questions.

Treating a Sprained Ankle

- Sit or lie down with your ankle up high. Keep it higher than your chest.
- Put ice on your ankle. Keep the ice on for 20 minutes ONLY. Do this every hour of the day.
- Put an elastic bandage around your ankle. Watch the video *How to Wrap Your Sprained Ankle* on the Spring Medical Center website. Keep the bandage on your ankle for 24-36 hours ONLY.
- Don't walk on your sprained ankle.
- Call this office if you have questions.