

Fill in the spaces with the correct word(s) according to the definitions given.

Endo is the Greek word which means _____ and
odont is Greek which means_____.

_____ Are removable or fixed teeth for people who
have lost all or most of their teeth.

_____ Is a condition in which a person stops
breathing for short periods of time during sleep.

There are 2 types of extractions which are _____
and _____.

_____ is the formal term for a dental extraction.

_____ is an uncontrolled growth of cells which can
be in any part of the body.

Match the two columns.

- A. It is the most common orthodontic problem seen in dental offices.
- B. Some examples of facial trauma include.
- C. Treatments for sleep Apnea.
- D. Two procedures performed by a maxillofacial surgeon which can be done before implants placement.
- E. A long tear or wound.
- F. It is a congenital split in the upper lip.
- G. Some symptoms of a tooth which may require a root canal procedure.
- H. Some minor complications after an extraction.
- I. A prosthetic tooth made from gold, metal or porcelain.
- J. Two symptoms of oral cancer might include.
- K. It sometimes happens after an extraction when a blood cloth fails to develop or dislodges.

_____ Fractures and avulsed teeth.

_____ Crown

_____ Uvulo-Palato-Pharyngo-Plasty and Orthognathic surgery.

_____ Crusts and speckled patches that do not go away

_____ Sinus graft and Ridge expansion

_____ Dry socket

_____ Crowded teeth

_____ Laceration

_____ Infection, swelling and bruising

_____ Cleft lip

_____ Abscess, toothache and swelling

Fill in the gaps with the correct word from the chart.

Overbite	Incision	Spaced teeth	Open bite
Extraction	Missing	Underbite	Bleeding

In order to remove an impacted tooth an _____
may be required.

After an extraction, it is normal to have some _____.
However, it should stop in about an hour.

_____ is the opposite of crowded teeth.

Some ways to create space when teeth are overcrowded are:
Expansion, reshaping, procycling and _____.

Small teeth and _____ teeth are to causes for
spaced teeth.

_____ is when the upper teeth overlap more than
they should.

_____ is when the lower teeth are too far forward .

_____ is when a person's teeth do not meet when
the mouth is closed.

Fill in the spaces with the correct word(s) according to the definitions given.

A branch of dentistry that treats malocclusion and correcting position of teeth as well as other problems related to the alignment of the teeth and other structures.

A branch of dentistry that has to do with the replacement of missing teeth.

A branch of dentistry that specializes in treating several diseases, injuries and defects in the head, neck, face, jaws and their tissues.

A branch of dentistry concerning with dental pulp and tissues surrounding the roots of a tooth.