Codingal

FRACTIONS

1. The fractions which have one as the numerator are called _____ fractions.

a) Like b) Unlike

c) Unit d) None of these

2. _____ make one whole.

a) Two halves b) One half

c) 5 halves d) 3 halves

3. _____ are there in a whole.

a) Two thirds b) One third

c) Three thirds d) Five thirds

4. In improper fraction, the numerator is always _____ the denominator.

a) Equal to b) Less than

c) Greater than d) None of these

LIVEWORKSHEETS

5. $^{3}/_{7}$ of a week = _____ days.

a) 7 b) 5

c) 4 d) 3

6. $^{3}/_{4}$ of a dozen is equal to _____.

a) 7 b) 5

c) 9 d) 12

7. The equivalent fraction of $^{3}/_{7}$ having denominator 35 is _____.

a) $^{3}/_{7}$ b) $^{15}/_{35}$

c) $^{7}/_{3}$ d) $^{12}/_{35}$

8. _____ + $^{4}/_{9}$ = 1

a) $^{4}/_{9}$ b) $^{2}/_{9}$

c) $^{6}/_{9}$ d) $^{5}/_{9}$

LIVEWORKSHEETS

9. $^{2}/_{5}$ of 7 km = _____ m.

a) 2500 b) 2600

c) 2800 d) 2700

10. Two fractions are equivalent if their cross multiplications are _____.

a) 1 b) Equal

c) 0 d) Not equal

LIVEWORKSHEETS