

Problemas de resta reagrupando

Juan tiene una caja con 500 cajitas de grapas, regaló 322. Ahora, ¿cuántas cajitas de grapas le quedan?

A visual representation of the subtraction problem 500 - 322 using base ten blocks. The minuend 500 is represented by one hundred block (top) and five ten blocks (bottom). The subtrahend 322 is represented by three ten blocks. The equation is shown as: $500 - 322 =$ followed by three empty boxes for the result.

Ahora le quedan _____ cajitas de grapas.

Los empleados del Mcdonal prepararon 627 hamburguesas. De esas hamburguesas vendieron solamente 469. ¿Cuántas hamburguesas le quedaron por vender?

A visual representation of the subtraction problem 627 - 469 using base ten blocks. The minuend 627 is represented by six hundred blocks (top two rows), two ten blocks, and seven one blocks. The subtrahend 469 is represented by four hundred blocks (bottom two rows), six ten blocks, and nine one blocks. A horizontal line is drawn under the subtrahend. The equation is shown as: $627 - 469 =$ followed by three empty boxes for the result.

Le quedaron _____ hamburguesas por vender.

En un hotel hay 780 habitaciones 394 están ocupadas. ¿cuántas habitaciones están desocupadas?

Están desocupadas _____ habitaciones.



EXCELENTE TRABAJO!!!!

